# EVOLUTION

*INTERNATIONAL JOURNAL OF ORGANIC EVOLUTION*

PUBLISHED BY

THE SOCIETY FOR THE STUDY OF EVOLUTION

**Vol. 50** **Subject Index** **1996**

*Evolution*, 50(6), 1996, pp. 2568–2576



**ALGAE**

*Chlamydomonas reinhardtii*, fitness, genetic variance in fitness, green algae, mutation-selection equilibrium, outcrossing, recombination, sex, 1705

**AMPHIBIANS**

advertisement calls, allozyme variation, genetic variation, geographical variation, *Physalaemus pustulosus*, sexual selection, túngara frog, 2435

Aegean region, frogs, geology, molecular clock, phylogeny, protein electrophoresis, *Rana esculenta* group, rate of evolution, 1676

allozyme variation, isolation-by-distance, colonization, extinction, morphometrics, *Rana pretiosa*, range shift, speciation, spotted frog, 374

*Ambystoma*, axolotl, biogeography, D-loop, mtDNA, phylogeny, tiger salamander, 417

antipredator behavior, *Hyla chrysoscelis*, inducible defense, morphometry, phenotypic plasticity, polyphenism, predation, trade-off, 583

**ARTHROPODS.** See also **INSECTS**

alloyzmes, character-set congruence, fitness, hybrid zone, *Menippe*, mtDNA, morphology, phylogeography, taxonomic congruence, total evidence, 655

canalization, constraint, growth, plasticity, postembryonic development, 573

female choice, good genes, *Hygrolycosa rubrofasciata*, male viability, sexual selection, wolf spider, 1977

**BACTERIA**

adaptation, correlated responses, *Escherichia coli*, fitness, glucose, maltose, pleiotropy, preadaptation, sugar transport, temperature, 493

adaptation, correlated responses, *Escherichia coli*, fitness, niche, stress, temperature, 35

bacteria, *Bradyrhizobium*, coevolution, electrophoresis, geographic variation, legumes, mutualism, plant-microbe interaction, symbiosis, 1470

bacteria, *Bradyrhizobium*, coevolution, legumes, linkage disequilibrium, mutualism, nitrogen fixation, polymorphism, symbiosis, 146

digestion, feeding habits, gut differentiation, methanogenic bacteria, vertebrate evolution, 559

**BEHAVIOR**

amphibian, antipredator behavior, *Hyla chrysoscelis*, inducible defense, morphometry, phenotypic plasticity, polyphenism, predation, trade-off, 583

beetles, comparative method, morphology, Namib desert, phylogeny, physiology, Tenebrionidae, 1231

body mass, cross-fostering, domestication, genetic correlation, heritability, locomotion, maternal effects, physiology, relaxed selection, trade-off, 1688

cellular evolution, evolution of behavior, evolution of learning, evolution of neuromodulation, neurobiology, Opisthobranchia, phylogenetic lesion, serotonin, 2248

courtship feeding, crickets, *Gryllodes sigillatus*, mate choice, sexual selection, sperm competition, spermatophore, 694

Darwin, male-male competition, mate choice, mating systems, sexual selection, 1371

female choice, male-male competition, sex-limited mimicry, territorial behavior, 717

mate discrimination, mating frequency, 1720

mate discrimination, pheromones, 1719

parasite, phylogeny, susceptibility, 807

**BIOGEOGRAPHY**

*Ambystoma*, axolotl, D-loop, mtDNA, phylogeny, tiger salamander, 417

Andes, area of endemism, Aves, Choco, historical biogeography, Pleistocene refugia, protein electrophoresis, systematics, vicariance, 1607

Bering Strait, character evolution, climate, cytochrome *b*, invasion, mtDNA, phylogeography, rate of molecular evolution, speciation, vicariance, 2287

butterfly wing patterns, *Heliconius erato*, *Heliconius melpomene*, mimicry, phylogeny, mtDNA, Pleistocene refugium, vicariance biogeography, 195

community evolution, geographic variation, historical biogeography, mtDNA, phylogeography, 308

crickets, Hawaii, *Laupala*, mtDNA, phylogeny, radiation, speciation, 237

**BIRDS**

*Agelaius phoeniceus*, experimental feeders, red-winged blackbirds, sexual size dimorphism, sexual selection, 2049

Andes, area of endemism, Choco, historical biogeography, Pleistocene refugia, protein electrophoresis, systematics, vicariance, 1607

*Archaeopteryx*, avian evolution, bird tails, bulbi tectricium, flight, locomotion, 2037

avian evolution, bird flight, locomotion, 331

bursa of Fabricius, host-parasite coevolution, immune defense, mode of transmission, spleen, virulence, 2066

community evolution, geographic variation, historical biogeography, mtDNA, phylogeography, 308

community structure, comparative method, ecological invasions, habitat selection, molecular phylogeny, regional diversity, speciation, 2461

conscious selection, domestication, energy budget, growth rate, intestinal transporters, metabolic rate, organ mass, unconscious selection, 1638

cooperative breeding, DNA fingerprinting, extra-pair paternity, helpers, *Malurus cyaneus*, superb fairy-wren, 2542

cost of dispersal, dispersal, *Ficedula albicollis*, frequency of inbreeding, inbreeding avoidance, null models, random mating, 1625

DNA fingerprinting, minisatellite, morphology, *Passerculus sandwichensis*, population structure, Savannah sparrow, 1631

dunlin, mtDNA, molecular systematics, philopatry, phylogeography, Pleistocene, 318

genetic structure, kin groups, kin selection, microgeographic differentiation, murre, PCR, 924

*Loxia curvirostra*, performance gradients, red crossbills, seasonality, selection differences, 2499

**BOOK REVIEWS**

Changing ciphers, a review of *Evolution of the Genetic Code* by Syozo Osawa, 1724




© 1996 The Society for the Study of Evolution. All rights reserved.

# EVOLUTION

*INTERNATIONAL JOURNAL OF ORGANIC EVOLUTION*

PUBLISHED BY

THE SOCIETY FOR THE STUDY OF EVOLUTION

**Vol. 50** **Subject Index** **1996**

*Evolution*, 50(6), 1996, pp. 2568–2576



**ALGAE**

*Chlamydomonas reinhardtii*, fitness, genetic variance in fitness, green algae, mutation-selection equilibrium, outcrossing, recombination, sex, 1705

**AMPHIBIANS**

advertisement calls, allozyme variation, genetic variation, geographical variation, *Physalaemus pustulosus*, sexual selection, túngara frog, 2435

Aegean region, frogs, geology, molecular clock, phylogeny, protein electrophoresis, *Rana esculenta* group, rate of evolution, 1676

allozyme variation, isolation-by-distance, colonization, extinction, morphometrics, *Rana pretiosa*, range shift, speciation, spotted frog, 374

*Ambystoma*, axolotl, biogeography, D-loop, mtDNA, phylogeny, tiger salamander, 417

antipredator behavior, *Hyla chrysoscelis*, inducible defense, morphometry, phenotypic plasticity, polyphenism, predation, trade-off, 583

**ARTHROPODS.** See also **INSECTS**

alloyzmes, character-set congruence, fitness, hybrid zone, *Menippe*, mtDNA, morphology, phylogeography, taxonomic congruence, total evidence, 655

canalization, constraint, growth, plasticity, postembryonic development, 573

female choice, good genes, *Hygrolycosa rubrofasciata*, male viability, sexual selection, wolf spider, 1977

**BACTERIA**

adaptation, correlated responses, *Escherichia coli*, fitness, glucose, maltose, pleiotropy, preadaptation, sugar transport, temperature, 493

adaptation, correlated responses, *Escherichia coli*, fitness, niche, stress, temperature, 35

bacteria, *Bradyrhizobium*, coevolution, electrophoresis, geographic variation, legumes, mutualism, plant-microbe interaction, symbiosis, 1470

bacteria, *Bradyrhizobium*, coevolution, legumes, linkage disequilibrium, mutualism, nitrogen fixation, polymorphism, symbiosis, 146

digestion, feeding habits, gut differentiation, methanogenic bacteria, vertebrate evolution, 559

**BEHAVIOR**

amphibian, antipredator behavior, *Hyla chrysoscelis*, inducible defense, morphometry, phenotypic plasticity, polyphenism, predation, trade-off, 583

beetles, comparative method, morphology, Namib desert, phylogeny, physiology, Tenebrionidae, 1231

body mass, cross-fostering, domestication, genetic correlation, heritability, locomotion, maternal effects, physiology, relaxed selection, trade-off, 1688

cellular evolution, evolution of behavior, evolution of learning, evolution of neuromodulation, neurobiology, Opisthobranchia, phylogenetic lesion, serotonin, 2248

courtship feeding, crickets, *Gryllodes sigillatus*, mate choice, sexual selection, sperm competition, spermatophore, 694

Darwin, male-male competition, mate choice, mating systems, sexual selection, 1371

female choice, male-male competition, sex-limited mimicry, territorial behavior, 717

mate discrimination, mating frequency, 1720

mate discrimination, pheromones, 1719

parasite, phylogeny, susceptibility, 807

**BIOGEOGRAPHY**

*Ambystoma*, axolotl, D-loop, mtDNA, phylogeny, tiger salamander, 417

Andes, area of endemism, Aves, Choco, historical biogeography, Pleistocene refugia, protein electrophoresis, systematics, vicariance, 1607

Bering Strait, character evolution, climate, cytochrome *b*, invasion, mtDNA, phylogeography, rate of molecular evolution, speciation, vicariance, 2287

butterfly wing patterns, *Heliconius erato*, *Heliconius melpomene*, mimicry, phylogeny, mtDNA, Pleistocene refugium, vicariance biogeography, 195

community evolution, geographic variation, historical biogeography, mtDNA, phylogeography, 308

crickets, Hawaii, *Laupala*, mtDNA, phylogeny, radiation, speciation, 237

**BIRDS**

*Agelaius phoeniceus*, experimental feeders, red-winged blackbirds, sexual size dimorphism, sexual selection, 2049

Andes, area of endemism, Choco, historical biogeography, Pleistocene refugia, protein electrophoresis, systematics, vicariance, 1607

*Archaeopteryx*, avian evolution, bird tails, bulbi tectricium, flight, locomotion, 2037

avian evolution, bird flight, locomotion, 331

bursa of Fabricius, host-parasite coevolution, immune defense, mode of transmission, spleen, virulence, 2066

community evolution, geographic variation, historical biogeography, mtDNA, phylogeography, 308

community structure, comparative method, ecological invasions, habitat selection, molecular phylogeny, regional diversity, speciation, 2461

conscious selection, domestication, energy budget, growth rate, intestinal transporters, metabolic rate, organ mass, unconscious selection, 1638

cooperative breeding, DNA fingerprinting, extra-pair paternity, helpers, *Malurus cyaneus*, superb fairy-wren, 2542

cost of dispersal, dispersal, *Ficedula albicollis*, frequency of inbreeding, inbreeding avoidance, null models, random mating, 1625

DNA fingerprinting, minisatellite, morphology, *Passerculus sandwichensis*, population structure, Savannah sparrow, 1631

dunlin, mtDNA, molecular systematics, philopatry, phylogeography, Pleistocene, 318

genetic structure, kin groups, kin selection, microgeographic differentiation, murre, PCR, 924

*Loxia curvirostra*, performance gradients, red crossbills, seasonality, selection differences, 2499

**BOOK REVIEWS**

Changing ciphers, a review of *Evolution of the Genetic Code* by Syozo Osawa, 1724




© 1996 The Society for the Study of Evolution. All rights reserved.

Dennett's dangerous idea, a review of *Darwin's Dangerous Idea* by Daniel C. Dennett, 467
A developing synthesis, a review of *The Shape of Life: Genes, Development, and the Evolution of Animal Form* by Rudolf A. Raff, 2562
The emperor's new genes, a review of *Epigenetic Inheritance and Evolution: The Lamarckian Dimension* by Eva Jablonka and Marion J. Lamb, 2115
Non-non-Darwinian evolution, a review of *Non-Neutral Evolution* by Brian Golding, ed., 462
The scope and the limits of conservation genetics, a review of *Conservation Genetics: Case Histories from Nature* by John C. Avise and James L. Hamrick, eds., 2558

COEVOLUTION
autocorrelation, comparative method, computer simulation, phylogentic analysis, systematics, 1750
bacteria, *Bradyrhizobium,* electrophoresis, geographic variation, legumes, mutualism, plant-microbe interaction, symbiosis, 1470
bacteria, *Bradyrhizobium,* legumes, linkage disequilibrium, mutualism, nitrogen fixation, polymorphism, symbiosis, 146
birds, bursa of Fabricius, host-parasite coevolution, immune defense, mode of transmission, spleen, virulence, 2066
*Brassica campestris, Brassica rapa,* correlational selection, diffuse coevolution, nonadditive effects, pairwise coevolution, phenotypic selection, *Phyllotreta cruciferae,* plant-mediated interactions, plant resistance, *Plutella xylostella,* 1492
gene flow, parasites, population structure, Red Queen hypothesis, sexual reproduction, 2264

COMPETITION
body size, coloration, intrasexual competition, mate choice, Odonata, sexual conflict, sexual selection, 1949
broad competitive ability, *Drosophila,* specific competitive ability, 188
coexistence, competitive outcome, multilevel selection, population differentiation, *Tribolium,* 1241
female choice, male-male competition, sex-limited mimicry, territorial behavior, 717
fishes, hermaphrodite, local mate competition, Serranidea, sex allocation, size-assortative mating, 636
gametophytic competition, genomic imprinting, maternal effects, pollen competition, quantitative genetics, 2178

*DROSOPHILA*
acclimation, body size, coloration, developmental effects, *D. melanogaster,* egg size, locomotion, maternal effects, paternal effects, temperature, 1205
acetic acid tolerance, *D. melanogaster,* ethanol tolerance, geographic races, metabolic flux, 767
adaptation, climate, development, *D. melanogaster,* latitudinal variation, 2523
aging, development rate, *D. melanogaster,* growth rate, life-history evolution, starvation, stress resistance, trade-offs, 753
aging, genetic engineering, life-history evolution, lifespan, trade-offs, 795
artificial selection, body size, *D. melanogaster,* growth trajectories, sexual size dimorphism, 1927
body pigmentation, *D. melanogaster, D. simulans,* growth temperature, isofemale lines, norms of reaction, phenotypic plasticity, 2346
body size, *Drosophila,* genetic and environmental components, heritability, male mating success, phenotypic selection response, 2530
bottlenecks, *D. mercatorum,* founder-flush, genetic transilience, speciation, 909
breeding site ecology, inversion polymorphism, life cycle components, mating success, natural selection, sexual selection, 2095
broad competitive ability, competition, specific competitive ability, 188
canalization, *D. melanogaster,* genetic drift, inbreeding, peak shifts, phenotypic variance, 1919
causal selection, natural selection, stabilizing selection, 1573
chromosomal polymorphism, *D. subobscura,* flexible polymorphism, temperature, temporal changes, 1346
cold resistance, environmental stress, hardening, maternal effects, selection, 1182
*D. pseudoobscura,* evolution of isolation, founder principle, genetic drift, speciation, 941
*D. pseudoobscura,* fitness components, selection in nature, sex ratio, 787
host-parasite interactions, *Howardula aoronymphium,* nematodes, transmission mode, virulence, 2241
mate discrimination, mating frequency, 1720
mate discrimination, pheromones, 1719

ECHINODERMS
Antarctic, brooding, evolution, extinction, larval dispersal, speciation, 820
*Ascidia mentula,* Ascidiacea, cytochrome oxidase I, *Echinus esculentus,* horizontal gene transfer, hybridization, mtDNA, 28S ribosomal RNA, 1713
*Brisaster latifrons,* egg size, facultative feeding, larval feeding, mode of development, Spatangoida, 174
cladistics, Echinocardium, morphometrics, ontogeny, phylogeny, sea urchins, 348

ECOLOGY
breeding site ecology, *Drosophila,* inversion polymorphism, life cycle components, mating success, natural selection, sexual selection, 2095
community structure, comparative method, ecological invasions, habitat selection, molecular phylogeny, regional diversity, speciation, 2461
egg volume, fecundity, genotype-environment interaction, latitudinal cline, ovariole number, phenotypic plasticity, temperature, thermal selection, 2338

ELECTROPHORESIS
Aegean region, frogs, geology, molecular clock, phylogeny, protein electrophoresis, *Rana esculenta* group, rate of evolution, 1676
allozymes, *Coregonus,* evolutionary history, mtDNA, speciation, 624
allozyme diversity, *Alsinidendron,* breeding systems, Caryophyllaceae, dioecy, genetic diversity, gynodioecy, Hawaiian Islands, islands, phylogenetic analysis, *Schiedea,* subdioecy, 23
allozyme electrophoresis, chemical defense, Chrysomelidae, host plants, *Oreina,* viviparity, 2373
allozyme variation, Cyprinidae, geographic variation, mtDNA, population fragmentation, 1280
allozymes, Anodonta, doubly uniparental inheritance, mtDNA, 952
allozymes, comparative approach, control region, *Etheostoma,* gene flow, gene genealogy, life history, mitochondrial DNA, *Percina,* 2023
allozymes, effective population number, genetic drift, mtDNA, temporal variation, 454
allozymes, habitat selection, host races, parasitism, population structure, speciation, symbiosis, sympatric differentiation, *Synalpheus,* 360
Andes, area of endemism, Aves, Choco, historical biogeography, Pleistocene refugia, protein electrophoresis, systematics, vicariance, 1607
bacteria, *Bradyrhizobium,* coevolution, electrophoresis, geographic variation, legumes, mutualism, plant-microbe interaction, symbiosis, 1470
electrophoretic variation, founder principle, genetic divergence, *Nereis acuminata,* polychaetes, speciation, 457
enzyme polymorphism, fire ants, phosphoglucomutase, physiological genetics, selection, social insects, *Solenopsis invicta,* 2387
genetic structure, kin groups, kin selection, microgeographic differentiation, murre, PCR, 924

EVOLUTION
adaptation, evolution of development, evolutionary computation,

genetic representations, modularity, pleiotropy, quantitative genetics, 967
*Anolis*, character displacement, evolution of body size, Lesser Antilles, linear parsimony, phylogeny, squared-change parsimony, taxon cycle, 594
Antarctic, brooding, extinction, larval dispersal, speciation, 820
*Archaeopteryx*, avian evolution, bird tails, bulbi tectricium, flight, locomotion, 2037
avian evolution, bird flight, locomotion, 331
Bering Strait, biogeography, character evolution, climate, cytochrome *b*, invasion, mtDNA, phylogeography, rate of molecular evolution, speciation, vicariance, 2287
biological diversity, biotal evolution, macroevolution, paleobiology, phylogenetic analysis, systematics, 1
Canary Island lizards, ecogenesis, geographic variation, island evolution, morphology, mtDNA sequence, natural selection, partial Mantel tests, phylogenesis, phylogeography, selective neutrality, 524
cellular evolution, evolution of behavior, evolution of learning, evolution of neuromodulation, neurobiology, Opisthobranchia, phylogenetic lesion, serotonin, 2248
community evolution, geographic variation, historical biogeography, mtDNA, phylogeography, 308
comparative method, evolution, phylogenetic analysis, population genetics, quantitative genetics, systematics, 1404
complexity, hierarchy, macroevolution, Metazoa, trends, 477
constraints, mass extinctions, phylogenetic effects, sorting, speciation, trends, Wright's Rule, 990
mathematical models, shifting-balance theory, 1034

**Extinction**

allozyme variation, isolation-by-distance, colonization, extinction, morphometrics, *Rana pretiosa*, range shift, speciation, spotted frog, 374
cladogenesis, extinction, maximum likelihood, neighbor joining, parsimony, phylogenetic tree, speciation, tree balance, tree shape, tree symmetry, UPGMA, 1418

**Fishes**

adaptation, life-history evolution, mark-recapture, mortality, selection, size-selective predation, 1651
adaptive divergence, adaptive radiation, genetic correlation, genetic variance, heritability, natural selection, sticklebacks, 1766
additive genetic variance, food limitation, genotype by environment interaction, norms of reaction, phenotypic plasticity, 1358
anadromy, assortative mating, divergent selection, isolating mechanisms, kokanee, *Oncorhynchus nerka*, sockeye, speciation, sympatric populations, 1265
catfishes, decoupling, evolutionary morphology, functional design, Loricarioidea, morphometrics, 1661
*Cyprinodon*, Cyprinodontidae, genetic introgression, hybridization, pupfish, 2014
evolutionary genetics, life-history evolution, minisatellite DNA, mtDNA, *Oncorhynchus nerka*, sockeye salmon, zoogeography, 401
Gobiidae, nest site, *Pomatoschistus minutus*, population differences, resource abundance, sexual selection, 646
hermaphrodite, local mate competition, Serranidea, sex allocation, size-assortative mating, 636

**Fitness**

adaptation, bacteria, correlated responses, *Escherichia coli*, glucose, maltose, pleiotropy, preadaptation, sugar transport, temperature, 493
adaptation, bacteria, correlated responses, *Escherichia coli*, niche, siress, temperature, 35
additive genetic variance, fitness effects, inbreeding, nonadditive genetic variance, realized heritability, selection, 723
alloyzmes, character-set congruence, hybrid zone, *Menippe*, mtDNA, morphology, phylogeography, taxonomic congruence, total evidence, 655
allozymes, fluctuating asymmetry, growth rate, molluscs, 2158
body size, development time, fecundity, fitness trade-off, genetic correlation, life-history evolution, longevity, selection, 1193
bottleneck, fitness rebound, genetic load, inbreeding depression, Lepidoptera, 2000
*Chlamydomonas reinhardtii*, genetic variance in fitness, mutation-selection equilibrium, outcrossing, recombination, sex, 1705
*Clarkia gracilis*, female fitness, fertility selection, floral polymorphism, male fitness, nonrandom mating, 71
*Drosophila pseudoobscura*, fitness components, selection in nature, sex ratio, 787
environmental stress, gametophytic selection, genetic marker, male fitness, nonrandom fertilization, paternity, pollen-tube competition, pollination, 1866
fire ants, hybrid fitness, hybridization, mosaic hybridization zone, *Solenopsis invicta*, *Solenopsis richteri*, 1958
floral traits, lifetime male fitness, natural selection gradients, paternity analysis, *Raphanus raphanistrum*, wild radish, 1137
founder effect, frequency-dependent selection, genetic drift, *Lythrum salicaria*, population structure, sexual polymorphism, tristyly, 126
*Gasterosteus*, hybrid fitness, mating discrimination, reproductive isolation, sexual selection, speciation, 2429
lifetime fitness, multiplicative fitness components, natural selection gradients, path analysis, *Raphanus raphanistrum*, wild radish, 1127
opportunity for selection, natural selection, selection analysis, sexual selection, survival, turtles, 437

**Gastropods**

adaptation, escalation, Lake Tanganyika, predation resistance, shell microstructure, shell strength, thiarid, 672
allometry, *Cerion*, form, growth, morphology, morphospace, 341
Atlantic, islands, parallelism, phylogeny, terrestriality, Truncatellidae, 682
*Carcinus maenas*, *Littorina obtusata*, natural selection, phenotypic plasticity, shell morphology, 448
cleavage pattern, gastropods, mesoderm, mesodermal stem cell, Mollusca, phylogeny, 1526
clonal diversity, frozen niche variation hypothesis, general-purpose genotype hypothesis, parthenogenesis, *Potamopyrgus antipodarum*, sexual reproduction, 1541
freshwater snails, genetic polymorphism, microsatellites, self-fertilization depression, selfing, 1908

**Gene Flow**

allorecognition, *Hydractinia symbiolongicarpus*, transmission genetics, 2221
acclimation, developmental time, genetic correlation, heat shock, stress, resistance, 2354
allozymes, comparative approach, control region, *Etheostoma*, gene flow, gene genealogy, life history, mitochondrial DNA, *Percina*, 2023
*Balanophyllia elegans*, genetic subdivision, isolation by distance, local adaptation, *Paracyathus stearnsii*, philopatry, stepping stone, 1167
*Cecropia obtusifolia*, colonizing species, demographic genetics, disturbance, *F*-statistics, gaps, patch dynamics, population-genetic structure, seed-bank genetics, seed dispersal, tropical rain forest, 1155
cline, cytonuclear genotype, gene flow, mtDNA, oyster, RFLP, RSP, scnDNA, 2305
coefficient of coancestry, demographic genetics, $F_{st}$, heterozygosity, *Lesquerella fendleri*, population genetic structure, seed bank, seedlings, temporal genetic change, 1830
coevolution, gene flow, parasites, population structure, Red Queen hypothesis, sexual reproduction, 2264
colonization, floral polymorphism, founder effect, frequency-dependent selection, gene flow, genetic drift, *Lythrum salicaria*, metapopulations, purple loosestrife, tristyly, 1512
cytonuclear disequilibrium, hybrid zone, RAPD markers, 1702
estimation error, gene-flow patterns, pollen dispersal, spatial sampling, 918
founder effect, gene flow, *Lathyrus*, Leguminosae, Moran's Index, population substructuring, spatial autocorrelation, temporal variation, 1808

gene flow, genetic drift, neighborhood size, pollen dispersal, seed dispersal, *Zostera marina,* 856
gene flow, hybridization, mating system, mixed-mating model, *Quercus,* 900
gene flow, introgression, reproductive isolation, secondary contact, 2504
orchid, outcrossing, pollen flow, pollination, population genetic structure, pseudocopulation, selection, sexual deception, 2207

HERBIVORY
antagonistic pleiotropy, genetic correlation, Homoptera, host plant adaptation, host specialization, host utilization trade-off, insect-plant interactions, 155
bacteria, *Bradyrhizobium,* coevolution, electrophoresis, geographic variation, legumes, mutualism, plant-microbe interaction, symbiosis, 1470
leafminers, parasitoids, phenotypic selection, *Phyllonorycter mespilella,* plant-insect interactions, *Pnigalio flavipes, Sympiesis marylandensis,* 1579

HERITABILITY
adaptive divergence, adaptive radiation, genetic correlation, genetic variance, natural selection, sticklebacks, 1766
additive genetic variance, fitness effects, inbreeding, nonadditive genetic variance, realized heritability, selection, 723
additive genetic variance, narrow-sense heritability, natural heritability, quantitatve genetics, 2149
*Asclepias fasicularis,* milkweed bug, *Oncopeltus fasciatus,* wing length, 442
autogamy, heritability, selection, self-compatibilty, 892
behavior, body mass, cross-fostering, domestication, genetic correlation, locomotion, maternal effects, physiology, relaxed selection, trade-off, 1688
body size, *Drosophila,* genetic and environmental components, heritability, male mating success, phenotypic selection response, 2530
clutch size, life history, natural selection, offspring size, timing of reproduction, 1314
environmental stress, genotype-by-environment interaction, *Impatiens pallida,* life-history characters, 1083
evolutionary response to selection, floral traits, genetic correlation, *Ipomopsis aggregata,* nectar production, pollinator-mediated selection, 1442
genetic markers, *Mimulus,* quantitative genetics, relatedness, 1074
genetic markers, quantitative genetics, relatedness, 1062

HYBRIDIZATION
*Ascidia mentula,* Ascidiacea, cytochrome oxidase I, Echinoidea, *Echinus esculentus,* horizontal gene transfer, mtDNA, 28S ribosomal RNA, 1713
butterflies, geographic variation, mimicry, *Papilio canadensis, Papilio glaucus,* sex linkage, wing-color dimorphism, x-chromosome modifier, 222
calling song, crickets, hybrid zone, phonotaxis, reinforcement, reproductive character displacement, 1982
Chrysopidae, gametic barrier, Insecta, reproductive isolation, sperm transfer, 1598
cricket, environmental variability, genetic correlations, genotype-environment interaction, *Gryllus pennsylvanicus,* life-history characters, phenotypic correlations, pleiotropy, 267
crickets, genetics of species differences, Hawaii, *Laupala,* song evolution, speciation, 256
*Cyprinodon,* Cyprinodontidae, fish, genetic introgression, pupfish, 2014
embryo abortion, fertilization success, irises, pollen-tube competition, reproductive isolation, 2201
fire ants, hybrid fitness, mosaic hybridization zone, *Solenopsis invicta, Solenopsis richteri,* 1958
gene flow, mating system, mixed-mating model, *Quercus,* 900
imprinting, inbreeding avoidance, mate choice, speciation, species recognition, 2471
*Iris,* pollen competition, pollen-tube attrition, reproductive isolation, 1871

INBREEDING
additive genetic variance, fitness effects, nonadditive genetic variance, realized heritability, selection, 723
angiosperm, genetic load, gymnosperm, inbreeding depression, literature survey, magnitude, mating system, outcrossing, plants, purging, recessive lethals, selfing, timing, 54
Ascidian, *Corella,* gender, incompatibility, marine, mating system, 1896
asteraceae, *Bidens cervicata, Bidens sandvicensis,* female, gynodioecy, Hawaii, hermaphrodite, inbreeding depression, selfing rate, sex ratio, 842
birds, cost of dispersal, dispersal, *Ficedula albicollis,* frequency of inbreeding, inbreeding avoidance, null models, random mating, 1625
bottleneck, fitness rebound, genetic load, inbreeding depression, Lepidoptera, 2000
canalization, *Drosophila melanogaster,* genetic drift, peak shifts, phenotypic variance, 1919
*Collinsia heterophylla,* inbreeding coefficient, inbreeding depression, outcrossing rate, 879
deleterious mutations, evolution, genetic load, inbreeding depression, mating system, selfing rate, 1425
drought stress, inbreeding depression, *Lychnis flos-cuculi,* 1119
effective population size, genetic drift, nonrandom mating, 1786
founder effect, genetic load, inbreeding depression, *Peromyscus polionotus,* 2187
inbreeding depression, mating system evolution, *Pinus sylvestris,* seed abortion, self-fertilization, Pleistocene refugium, vicariance biogeography, 195
inbreeding depression, *Mimulus,* natural selection, quantitative genetics, self-fertilization, 1501
polydomy, queen number, relatedness, social insects, 285

INSECTS. See also *DROSOPHILA*
*Acyrthosiphon pisum,* genetic variation, morphology, natural selection, parthenogenesis, pea aphids, rapid evolution, 163
adaptation, African *Bicyclus* butterflies, historical constraints, phenotypic integrity, plasticity, polyphenism, reaction norms, 2360
additive genetic variance, fitness effects, inbreeding, nonadditive genetic variance, realized heritability, selection, 723
allometry, artificial selection, dimorphism, horned beetle, *Onthophagus acuminatus,* threshold, 1219
allozymes, dispersal, *Euphilotes enoptes,* gene flow, isolation by distance, Lycaenidae, neighborhood size, phytophagous insect, stepping-stone model, 1990
Anthocyanins, *Charidotella bicolor, Deloyala guttata,* polymorphism, selection, tortoise beetles, 957
apomixis, evolution of sex, parthenogenesis, phylogeny, polyploidy, root weevil, 734
*Asclepias fasicularis,* heritability, milkweed bug, *Oncopeltus fasciatus,* wing length, 442
*Bacillus,* clonals, genome addition, parental species recreation, polyploidy, unisexual diversification, 1251
beetles, behavior, comparative method, morphology, Namib desert, phylogeny, physiology, Tenebrionidae, 1231
biogeography, crickets, Hawaii, *Laupala,* mtDNA, phylogeny, radiation, speciation, 237
bottleneck, fitness rebound, genetic load, inbreeding depression, Lepidoptera, 2000
coevolution, phenotypic selection, *Phyllotreta cruciferae,* plant-mediated interactions, plant resistance, *Plutella xylostella,* 1492
bumblebees, floral evolution, *Polemonium viscosum,* 120
butterflies, geographic variation, hybridization, mimicry, *Papilio canadensis, Papilio glaucus,* sex linkage, wing-color dimorphism, x-chromosome modifier, 222
butterfly wing patterns, *Heliconius erato, Heliconius melpomene,* mimicry, phylogeny, mtDNA, Pleistocene refugium, vicariance biogeography, 195
calling song, crickets, hybrid zone, hybridization, phonotaxis, reinforcement, reproductive character displacement, 1982
Chrysopidae, gametic barrier, hybridization, reproductive isolation, sperm transfer, 1598

contextual analysis, levels-of-selection, queen-worker conflict, reproductive allocation, social insects, 298
courtship feeding, crickets, *Gryllodes sigillatus,* mate choice, sexual selection, sperm competition, spermatophore, 694
crickets, environmental variability, genetic correlations, genotype-environment interaction, *Gryllus pennsylvanicus,* life-history characters, phenotypic correlations, pleiotropy, 267
crickets, genetics of species differences, Hawaii, hybridization, *Laupala,* song evolution, speciation, 256
developmental stability, *Enthomophthora muscae, Musca domestica,* parasitism, predation, sexual selection, 746
diapause, mosquito, pleiotropy, tradeoffs, *Wyeomyia,* 1178
diet breadth, host range, monophagous, performance, polyphagous, preference, 831
diploid males, euglossine bees, population genetics, social evolution, 931
DNA fingerprinting, kin-selection, nestmates, *Perdita texana,* sociality, 276
enzyme polymorphism, fire ants, phosphoglucomutase, physiological genetics, selection, social insects, *Solenopsis invicta,* 2387
*Eurosta solidaginis,* host shifts, intraspecific phylogeography, mtDNA, plant-insect interactions, *Solidago,* speciation, 777
female choice, male-male competition, sex-limited mimicry, territorial behavior, 717
field experiment, natural selection, Odonata, ontogeny, phenotype manipulation, selection differential, selection gradient, 1939
G-matrix, *Precis,* wing pattern, 1585
grasshopper, hybrid zone, life history, *Melanoplus,* reproductive isolation, speciation, 704
growth rate, Lepidoptera, life history, photoperiod, plasticity, Satyrinae, seasonality, 1351
inbreeding, polydomy, queen number, relatedness, social insects, 285
leafminers, parasitoids, phenotypic selection, *Phyllonorycter mespilella,* plant-insect interactions, *Pnigalio flavipes, Sympiesis marylandensis,* 1579
mealybug, paternal genome loss, sex determination, sex ratio, 2100

**LIFE HISTORY**

adaptation, life-history evolution, mark-recapture, mortality, selection, size-selective predation, 1651
age, allometry, common principal components, constraint, developmental time, Gerridae, growth, heterochrony, morphometrics, ontogeny, size, 2412
age at maturity, development time, food supply, foraging effort, growth rate, optimization, predation, size at maturity, 1052
aging, development rate, *Drosophila melanogaster,* growth rate, life-history evolution, starvation, stress resistance, trade-offs, 753
aging, *Drosophila,* genetic engineering, life-history evolution, lifespan, trade-offs, 795
allozymes, comparative approach, control region, *Etheostoma,* gene flow, gene genealogy, mitochondrial DNA, *Percina,* 2023
*Arabidopsis, Brassica rapa,* genetic trade-offs, life-history evolution, pleiotropy, 1849
*Arabidopsis thaliana,* flowering time, *gigantea,* life-history tradeoffs, quantitative-trait locus (QTL), QTL mapping, recombinant inbred lines, resource allocation, 140
body size, development time, fecundity, fitness trade-off, genetic correlation, life-history evolution, longevity, selection, 1193
clutch size, heritability, natural selection, offspring size, timing of reproduction, 1314
cost of reproduction, egg limitation, egg size, fecundity, life-history trade-offs, parasitoids, senescence, 2089
costs of reproduction, fecundity, lifetime reproductive success, lizards, offspring size, reproduction, reproductive effort, snakes, survival, 2111
crickets, environmental variability, genetic correlations, genotype-environment interaction, *Gryllus pennsylvanicus,* life-history characters, phenotypic correlations, pleiotropy, 267
density-dependent selection, quantitative genetics, reaction norm, selection gradient, 1775
environmental stress, genotype-by-environment interaction, heritability, *Impatiens pallida,* life-history characters, 1083
evolutionary genetics, life-history evolution, minisatellite DNA, mtDNA, *Oncorhynchus nerka,* sockeye salmon, zoogeography, 401
germination, growth, life-history evolution, maternal effects, onset of reproduction, parental effects, paternal effects, *Plantago lanceolata,* pre- and postzygotic effects, seed weight, temperature, 865
grasshopper, hybrid zone, *Melanoplus,* reproductive isolation, speciation, 704
growth rate, Lepidoptera, photoperiod, plasticity, Satyrinae, seasonality, 1351
leafminers, parasitoids, phenotypic selection, *Phyllonorycter mespilella,* plant-insect interactions, *Pnigalio flavipes, Sympiesis marylandensis,* 1579

**MAMMALS**

behavior, body mass, cross-fostering, domestication, genetic correlation, heritability, locomotion, maternal effects, physiology, relaxed selection, trade-off, 1688
bottleneck, colonization history, field vole (*Microtus agrestis*), geographic structure, mitochondrial DNA, Y-chromosome, 2073
complementation, house mouse, mathematical model, meiotic drive, polymorphism, population genetics, *t* haplotypes, 2488

**MOLLUSKS**

allozymes, fitness, fluctuating asymmetry, growth rate, 2158
cleavage pattern, gastropods, mesoderm, mesodermal stem cell, phylogeny, 1526

**MORPHOLOGY**

*Acyrthosiphon pisum,* genetic variation, natural selection, parthenogenesis, pea aphids, rapid evolution, 163
allometry, *Cerion,* form, gastropod, growth, morphospace, 341
alloyzmes, character-set congruence, fitness, hybrid zone, *Menippe,* mtDNA, phylogeography, taxonomic congruence, total evidence, 655
beetles, behavior, comparative method, Namib desert, phylogeny, physiology, Tenebrionidae, 1231
Canary Island lizards, ecogenesis, geographic variation, island evolution, mtDNA sequence, natural selection, partial Mantel tests, phylogenesis, phylogeography, selective neutrality, 524
*Carcinus maenas, Littorina obtusata,* natural selection, phenotypic plasticity, shell morphology, 448
catfishes, decoupling, evolutionary morphology, functional design, Loricarioidea, morphometrics, 1661
constraints, mass extinctions, phylogenetic effects, sorting, speciation, trends, Wright's Rule, 990
DNA fingerprinting, minisatellite, *Passerculus sandwichensis,* population structure, Savannah sparrow, 1631

**NEMATODES**

Bergmann size cline, Bergmann's Rule, body size, *Caenorhabditis elegans,* cell size, temperature, 1259

**PARASITISM**

allozymes, habitat selection, host races, population structure, speciation, symbiosis, sympatric differentiation, *Synalpheus,* 360
behavior, phylogeny, susceptibility, 807
birds, bursa of Fabricius, host-parasite coevolution, immune defense, mode of transmission, spleen, virulence, 2066
coevolution, gene flow, population structure, Red Queen hypothesis, sexual reproduction, 2264
comparative analysis, copepods, phylogeny, sexual size dimorphism, 2520
developmental stability, *Enthomophthora muscae, Musca domestica,* predation, sexual selection, 746
epidemiology, horizontal transmission, pathogen, pathogenicity, vertical transmission, virulence, 1729

**PHYLOGENY**

adaptation, character mapping, homology, homoplasy, parallelism, 504
adaptation, African *Bicyclus* butterflies, historical constraints, phenotypic integrity, plasticity, polyphenism, reaction norms, 2360
adaptative radiation, character displacement, geckos, mtDNA, *Phelsuma,* Seychelles, 604

adaptive radiation, cytochrome oxidase, genetic distance, host shifts, maximum likelihood analysis, molecular clock, mycophagy, 2328
Aegean region, frogs, geology, molecular clock, protein electrophoresis, *Rana esculenta* group, rate of evolution, 1676
African origin, Mitochondrial Eve, phylogenetic trees, topiary pruning, 977
*Ambystoma,* axolotl, biogeography, D-loop, mtDNA, tiger salamander, 417
*Anolis,* character displacement, evolution of body size, Lesser Antilles, linear parsimony, squared-change parsimony, taxon cycle, 594
apomixis, evolution of sex, parthenogenesis, polyploidy, root weevil, 734
Atlantic, Gastropoda, islands, parallelism, terrestriality, Truncatellidae, 682
beetles, behavior, comparative method, morphology, Namib desert, physiology, Tenebrionidae, 1231
behavior, parasite, susceptibility, 807
biogeography, crickets, Hawaii, *Laupala,* mtDNA, radiation, speciation, 237
biological diversity, biotal evolution, macroevolution, paleobiology, phylogenetic analysis, systematics, 1
breeding system, *Eichhornia,* enantiostyly, optimization scheme, Pontederiaceae, self-fertilization, tristyly, 1454
butterfly wing patterns, *Heliconius erato, Heliconius melpomene,* mimicry, mtDNA,
cladistics, Echinocardium, morphometrics, ontogeny, sea urchins, 348
cladogenesis, extinction, maximum likelihood, neighbor joining, parsimony, phylogenetic tree, speciation, tree balance, tree shape, tree symmetry, UPGMA, 1418
cleavage pattern, gastropods, mesoderm, mesodermal stem cell, Mollusca, 1526
comparative analysis, copepods, parasitism, sexual size dimorphism, 2520
comparative method, computer simulation, speciation, statistics, systematics, 12
comparative method, evolution, phylogenetic analysis, population genetics, quantitative genetics, systematics, 1404
community structure, comparative method, ecological invasions, habitat selection, molecular phylogeny, regional diversity, speciation, 2461
cytochrome *c* oxidase I, doubly uniparental inheritance, *Fusconaia, Geukensia, Mytilus, Pyganodon,* phylogenetics, 2276
macroevolution, phylogenetic trees, punctuated equilibria, speciation rates, tree balance, tree topology, 2141

**PLANTS**

*Acremonium,* allozymes, *Epichloë,* grass endophytes, linkage analysis, mode of transmission, stroma formation, 1879
adaptive phenotypic plasticity, *Cakile,* leaf size, multivariate selection analysis, path analysis, water-use efficiency, 92
additive genetic effects, diallel, gametophytic selection, maternal effects, meiotic drive, non-Mendelian inheritance, parental effects, pollen performance, 44
allozyme diversity, *Alsinidendron,* breeding systems, Caryophyllaceae, dioecy, genetic diversity, gynodioecy, Hawaiian Islands, islands, phylogenetic analysis, *Schiedea,* subdioecy, 23
allozyme electrophoresis, chemical defense, Chrysomelidae, host plants, *Oreina,* phylogeny, viviparity, 2373
angiosperm, genetic load, gymnosperm, inbreeding depression, literature survey, magnitude, mating system, outcrossing, plants, purging, recessive lethals, selfing, timing, 54
*Arabidopsis, Brassica rapa,* genetic trade-offs, life-history evolution, pleiotropy, 1849
*Arabidopsis thaliana,* flowering time, *gigantea,* life-history trade-offs, quantitative-trait locus (QTL), QTL mapping, recombinant inbred lines, resource allocation, 140
*Asclepias tuberosa,* ESS model, inflorescence design, inflorescence size, milkweed, pollen transfer, sexual selection, size-number trade-offs, 2165
asteraceae, *Bidens cervicata, Bidens sandvicensis,* female, gynodioecy, Hawaii, hermaphrodite, inbreeding depression, selfing rate, sex ratio, 842
autogamy, dominance, flower size, heterosis, heterostyly, homeostasis, mating system, mutation rate, mutation-selection balance, overdominance, pollination, polyploidy, 1478
autogamy, heritability, selection, self-compatibilty, 892
bacteria, *Bradyrhizobium,* coevolution, legumes, linkage disequilibrium, mutualism, nitrogen fixation, polymorphism, symbiosis, 146
*Brassica campestris, Brassica rapa,* correlational selection, diffuse coevolution, nonadditive effects, pairwise coevolution, phenotypic selection, *Phyllotreta cruciferae,* plant-mediated interactions, plant resistance, *Plutella xylostella,* 1492
*Brassica rapa,* disease resistance, fungal pathogens, *Leptosphaeria maculans, Peronospora parasitica,* 1859
breeding system, *Eichhornia,* enantiostyly, optimization scheme, phylogeny, Pontederiaceae, self-fertilization, tristyly, 1454
bumblebees, floral evolution, *Polemonium viscosum,* 120
cadmium tolerance, copper tolerance, genetics, *Silene vulgaris,* zinc tolerance, 1888
*Cakile,* genetic covariance matrix, leaf size, local adaptation, retrospective selection analysis, water-use efficiency, 103
chloroplast DNA, denaturing gradient gel electrophoresis, gene flow, nonequilibrium population structure, 1822
*Clarkia gracilis,* female fitness, fertility selection, floral polymorphism, male fitness, nonrandom mating, 71
*Clarkia tembloriensis,* developmental stability, evolution of self-pollination, fluctuating asymmetry, leaf development, 80
comparative method, evolution, phylogenetic analysis, population genetics, quantitative genetics, systematics, 1404
coefficient of coancestry, demographic genetics, F*st,* heterozygosity, *Lesquerella fendleri,* population genetic structure, seed bank, seedlings, temporal genetic change, 1830
costs of resistance, genetic polymorphism, host phenology, male reproductive success, plant-pathogen interactions, *Silene latifolia,* 1098
deleterious mutation, evolution, genetic load, inbreeding depression, mating system, selfing rate, 1425
*Dicerandra linearifolia,* environmental heterogeneity, genetic correlation, genotype-by-environment interaction, phenotypic plasticity, programmed developmental change, temperature, 1111
drought stress, inbreeding depression, *Lychnis flos-cuculi,* 1119
embryo abortion, fertilization success, hybridization, irises, pollen-tube competition, reproductive isolation, 2201
environmental stress, gametophytic selection, genetic marker, male fitness, nonrandom fertilization, paternity, pollen-tube competition, pollination, 1866
*Eurosta solidaginis,* host shifts, intraspecific phylogeography, mtDNA, plant-insect interactions, *Solidago,* speciation, 777
evolutionary response to selection, floral traits, genetic correlation, heritability, *Ipomopsis aggregata,* nectar production, pollinator-mediated selection, 1442
*Fagus sylvatica,* intraspecific cpDNA diversity, phylogeography, seed transfer, universal primers, 2515
floral traits, gamete production, gender, maternal effects, population differentiation, quantitative characters, sex allocation, 2509
floral traits, lifetime male fitness, natural selection gradients, paternity analysis, *Raphanus raphanistrum,* wild radish, 1137
founder effect, frequency-dependent selection, genetic drift, *Lythrum salicaria,* population structure, sexual polymorphism, tristyly, 126
founder effect, gene flow, *Lathyrus,* Leguminosae, Moran's Index, population substructuring, spatial autocorrelation, temporal variation, 1808
gene flow, genetic drift, neighborhood size, pollen dispersal, seed dispersal, *Zostera marina,* 856
gene flow, hybridization, mating system, mixed-mating model, *Quercus,* 900
genetic markers, heritability, *Mimulus,* quantitative genetics, relatedness, 1074
germination, growth, life-history evolution, maternal effects, on-

set of reproduction, parental effects, paternal effects, *Plantago lanceolata,* pre- and postzygotic effects, seed weight, temperature, 865
hybridization, *Iris,* pollen competition, pollen-tube attrition, reproductive isolation, 1871
inbreeding depression, mating system evolution, *Pinus sylvestris,* seed abortion, self-fertilization, Pleistocene refugium, vicariance biogeography, 195
lifetime fitness, multiplicative fitness components, natural selection gradients, path analysis, *Raphanus raphanistrum,* wild radish, 1127
mast seeding, model, plant, storage, 1795
orchid, outcrossing, pollen flow, pollination, population genetic structure, pseudocopulation, selection, sexual deception, 2207
plant mating systems, pollen competition, sexual selection, wild radish, 1842

**Population**
additive genetic variance, epistasis, mouse, population bottlenecks, quantitative trait loci, 1042
allorecognition, *Hydractinia symbiolongicarpus,* transmission genetics, 2221
allozyme variation, Cyprinidae, geographic variation, mtDNA, population fragmentation, 1280
allozymes, effective population number, genetic drift, mtDNA, temporal variation, 454
allozymes, habitat selection, host races, parasitism, population structure, speciation, symbiosis, sympatric differentiation, *Synalpheus,* 360
anadromy, assortative mating, divergent selection, isolating mechanisms, kokanee, *Oncorhynchus nerka,* sockeye, speciation, sympatric populations, 1265
antagonistic pleiotropy, environmental heterogeneity, mutation-selection balance, phenotypic plasticity, 2316
autocorrelated environment, population extinction, quantitative characters, random environment, 434
autogamy, heritability, selection, self-compatibility, 892
bottlenecks, colonization history, field vole (*Microtus agrestis*), geographic structure, mitochondrial DNA, Y-chromosome, 2073
bottlenecks, *Drosophila mercatorum,* founder-flush, genetic transilience, speciation, 909
bottlenecks, fitness rebound, genetic load, inbreeding depression, Lepidoptera, 2000
bottlenecks, founder-flush speciation, morphometric differentiation, multivariate analyses, 935
bottlenecks, genetic variation, heterozygosity, latitudinal variation, 2548
*Bufo marinus,* colonization, CRT-MCA, population differentiation, 944
canalization, *Drosophila melanogaster,* genetic drift, inbreeding, peak shifts, phenotypic variance, 1919
*Cecropia obtusifolia,* colonizing species, demographic genetics, disturbance, *F*-statistics, gaps, patch dynamics, population-genetic structure, seed-bank genetics, seed dispersal, tropical rain forest, 1155
chaos, evolution of sex, population dynamics, quantitative genetics, 532
chloroplast DNA, denaturing gradient gen electrophoresis, gene flow, nonequilibrium population structure, 1822
coefficient of coancestry, demographic genetics, F*st,* heterozygosity, *Lesquerella fendleri,* population genetic structure, seed bank, seedlings, temporal genetic change, 1830
coevolution, gene flow, parasites, population structure, Red Queen hypothesis, sexual reproduction, 2264
comparative method, evolution, phylogenetic analysis, population genetics, quantitative genetics, systematics, 1404
complementation, house mouse, mathematical model, meiotic drive, polymorphism, population genetics, *t* haplotypes, 2488
DNA fingerprinting, minisatellite, morphology, *Passerculus sandwichensis,* population structure, Savannah sparrow, 1631
deleterious mutation, evolution, genetic load, inbreeding depression, mating system, selfing rate, 1425
developmental canalization, epigenetic system, epistatic gene interactions, gene networks, neutral mutations, transcriptional regulators, 1008
diploid males, euglossine bees, population genetics, social evolution, 931
effective population size, genetic drift, inbreeding, nonrandom mating, 1786
evolutionary dynamics, heterogeneous environments, multiple loci, reaction norm, 547
population, genetic correlations, phenotypic correlations, selection, 1392
floral traits, gamete production, gender, maternal effects, population differentiation, quantitative characters, sex allocation, 2509
founder effect, frequency-dependent selection, genetic drift, *Lythrum salicaria,* population structure, sexual polymorphism, tristyly, 126
founder effect, genetic load, inbreeding depression, *Peromyscus polionotus,* 2187
freshwater snails, genetic polymorphism, microsatellites, self-fertilization depression, selfing, 1908
Gobiidae, nest site, *Pomatoschistus minutus,* population differences, resource abundance, sexual selection, 646
inbreeding depression, mating system evolution, *Pinus sylvestris,* seed abortion, self-fertilization, Pleistocene refugium, vicariance biogeography, 195
mathematical models, shifting-balance theory, 1034
moving optimum, nonequal gene effects, polymorphism, supercycles, two-locus models, 1432
orchid, outcrossing, pollen flow, pollination, population genetic structure, pseudocopulation, selection, sexual deception, 2207

**Predation**
adaptation, escalation, Lake Tanganyika, predation resistance, shell microstructure, shell strength, thiarid, gastropods, 672
adaptation, life-history evolution, mark-recapture, mortality, selection, size-selective predation, 1651
age at maturity, development time, food supply, foraging effort, growth rate, life history, optimization, predation, size at maturity, 1052
amphibian, antipredator behavior, *Hyla chrysoscelis,* inducible defense, morphometry, phenotypic plasticity, polyphenism, trade-off, 583
Carduelinae, nest predation, Parulidae, sexual dichromatism, sexual dimorphism, sexual selection, 2454
cyclic parthenogenesis, *Daphnia,* genetic polymorphism, local adaptation, phenotypic plasticity, phototactic behavior, predator avoidance, resting eggs, vertical migration, 1293
developmental stability, *Enthomophthora muscae, Musca domestica,* parasitism, sexual selection, 746

**Quantitative Genetics**
adaptation, evolution of development, evolutionary computation, genetic representations, modularity, pleiotropy, quantitative genetics, 967
additive genetic effects, diallel, gametophytic selection, maternal effects, meiotic drive, non-Mendelian inheritance, parental effects, pollen performance, 44
additive genetic variance, epistasis, mouse, population bottlenecks, quantitative trait loci, 1042
additive genetic variance, fitness effects, inbreeding, nonadditive genetic variance, realized heritability, selection, 723
additive genetic variance, food limitation, genotype by environment interaction, norms of reaction, phenotypic plasticity, 1358
additive genetic variance, narrow-sense heritability, natural heritability, quantitatve genetics, 2149
animal signal, quantitative genetics, social behavior, social communication, social selection, 512
antagonistic pleiotropy, genetic correlation, herbivory, Homoptera, host plant adaptation, host specialization, host utilization trade-off, insect-plant interactions, 155
*Aphidius ervi,* performance curve, quantitative genetics, thermal sensitivity, trade-offs, 1560
asymmetric sexual isolation, *Desmognathus ochrophaeus,* quan-

titative genetics model, reproductive isolation, sexual isolation, sexual selection, triple Gaussian model, 1024
behavior, body mass, cross-fostering, domestication, genetic correlation, heritability, locomotion, maternal effects, physiology, relaxed selection, trade-off, 1688
body size, development time, fecundity, fitness trade-off, genetic correlation, life-history evolution, longevity, selection, 1193
body size, *Drosophila,* genetic and environmental components, heritability, male mating success, phenotypic selection response, 2530
*Cakile,* genetic covariance matrix, leaf size, local adaptation, retrospective selection analysis, water-use efficiency, 103
chaos, evolution of sex, population dynamics, quantitative genetics, 532
*Chlamydomonas reinhardtii,* fitness, genetic variance in fitness, mutation-selection equilibrium, outcrossing, recombination, sex, 1705
comparative method, evolution, phylogenetic analysis, population genetics, quantitative genetics, systematics, 1404
density-dependent selection, life history, quantitative genetics, reaction norm, selection gradient, 1775
*Dicerandra linearifolia,* environmental heterogeneity, genetic correlation, genotype-by-environment interaction, phenotypic plasticity, programmed developmental change, temperature, 1111
enzyme polymorphism, fire ants, phosphoglucomutase, physiological genetics, selection, social insects, *Solenopsis invicta,* 2387
evolution, genetic correlations, phenotypic correlations, selection, 1392
evolutionary response to selection, floral traits, genetic correlation, heritability, *Ipomopsis aggregata,* nectar production, pollinator-mediated selection, 1442
evolutionary stability, frequency dependence, group structure, quantitative genetics, selection differential, 2106
gametophytic competition, genomic imprinting, maternal effects, pollen competition, quantitatve genetics, 2178
genetic markers, heritability, *Mimulus,* quantitative genetics, relatedness, 1074
genetic markers, heritability, quantitative genetics, relatedness, 1062
genetic variation, migration, natural selection, quantitative traits, 1334
inbreeding, inbreeding depression, *Mimulus,* natural selection, quantitative genetics, self-fertilization, 1501
*Limnodrilus hoffmeisteri,* metal adaptation, metals, methallothionein, oligochaete, quantitative genetics, 1339

**Reptiles**
adaptation, allometry, growth, head size, phenotypic plasticity, shape, snake, *Vipera berus,* 2536
adaptative radiation, character displacement, geckos, mtDNA, *Phelsuma,* phylogeny, Seychelles, 604
*Anolis,* character displacement, evolution of body size, Lesser Antilles, linear parsimony, phylogeny, squared-change parsimony, taxon cycle, 594
Canary Island lizards, ecogenesis, geographic variation, island evolution, morphology, mtDNA sequence, natural selection, partial Mantel tests, phylogenesis, phylogeography, selective neutrality, 524
corticosterone, costs of reproduction, gonadotropin, natural selection, ovarian manipulation, trade-offs, 1299
costs of reproduction, fecundity, lifetime reproductive success, lizards, offspring size, reproduction, reproductive effort, snakes, survival, 2111
egg guarding, lizard, parental care, snake, squamata, viviparity, 391
*Lacerta agilis,* incubation period, multiple paternity, offspring size and shape, paternal genes, 1328
opportunity for selection, natural selection, selection analysis, sexual selection, survival, turtles, 437

**Selection—Artificial**
artificial selection, body size, *Drosophila melanogaster,* growth trajectories, sexual size dimorphism, 1927
body size, development time, fecundity, fitness trade-off, genetic correlation, life-history evolution, longevity, selection, 1193
cold resistance, *Drosophila,* environmental stress, hardening, maternal effects, selection, 1182
conscious selection, domestication, energy budget, growth rate, intestinal transporters, metabolic rate, organ mass, unconscious selection, 1638

**Selection—Natural**
adaptation, life-history evolution, mark-recapture, mortality, selection, size-selective predation, 1651
adaptive divergence, adaptive radiation, genetic correlation, genetic variance, heritability, natural selection, sticklebacks, 1766
allorecognition, *Hydractinia symbiolongicarpus,* transmission genetics, 2221
Canary Island lizards, ecogenesis, geographic variation, island evolution, morphology, mtDNA sequence, natural selection, partial Mantel tests, phylogenesis, phylogeography, selective neutrality, 524
*Carcinus maenas, Littorina obtusata,* natural selection, phenotypic plasticity, shell morphology, 448
causal selection, natural selection, stabilizing selection, 1573
clutch size, heritability, life history, natural selection, offspring size, timing of reproduction, 1314
corticosterone, costs of reproduction, gonadotropin, natural selection, ovarian manipulation, trade-offs, 1299
field experiment, natural selection, Odonata, ontogeny, phenotype manipulation, selection differential, selection gradient, 1939
floral traits, lifetime male fitness, natural selection gradients, paternity analysis, *Raphanus raphanistrum,* wild radish, 1137
genetic variation, migration, natural selection, quantitative traits, 1334
inbreeding, inbreeding depression, *Mimulus,* natural selection, quantitative genetics, self-fertilization, 1501
lifetime fitness, multiplicative fitness components, natural selection gradients, path analysis, *Raphanus raphanistrum,* wild radish, 1127
sequence, natural selection, partial Mantel tests, phylogenesis, phylogeography, selective neutrality, 524

**Selection—Sexual**
advertisement calls, allozyme variation, genetic variation, geographical variation, *Physalaemus pustulosus,* sexual selection, túngara frog, 2435
*Agelaius phoeniceus,* experimental feeders, red-winged blackbirds, sexual size dimorphism, sexual selection, 2049
*Asclepias tuberosa,* ESS model, inflorescence design, inflorescence size, milkweed, pollen transfer, sexual selection, size-number trade-offs, 2165
asymmetric sexual isolation, *Desmognathus ochrophaeus,* quantitative genetics model, reproductive isolation, sexual isolation, sexual selection, triple Gaussian model, 1024
bioacoustics, body size, communication, mate choice, phonotaxis, sexual selection, 2400
body size, coloration, intrasexual competition, mate choice, Odonata, sexual conflict, sexual selection, 1949
body size, Gerridae, mating success, selection gradients, sexual selection, sexual size dimorphism, wing dimorphism, 1549
breeding site ecology, *Drosophila,* inversion polymorphism, life cycle components, mating success, natural selection, sexual selection, 2095
Carduelinae, nest predation, Parulidae, sexual dichromatism, sexual dimorphism, sexual selection, 2454
courtship feeding, crickets, *Gryllodes sigillatus,* mate choice, sexual selection, sperm competition, spermatophore, 694
Darwin, male-male competition, mate choice, mating systems, sexual selection, 1371
deleterious mutation, direct selection, good genes, mate choice, mating preferences, sexual selection, 2125
developmental stability, *Enthomophthora muscae, Musca domestica,* parasitism, predation, sexual selection, 746

*Drosophila pseudoobscura,* fitness components, selection in nature, sex ratio, 787
female choice, good genes, *Hygrolycosa rubrofasciata,* male viability, sexual selection, wolf spider, 1977
*Gasterosteus,* hybrid fitness, mating discrimination, reproductive isolation, sexual selection, speciation, 2429
Gobiidae, nest site, *Pomatoschistus minutus,* population differences, resource abundance, sexual selection, 646
mate choice, parental care, parental investment, sex role reversal, sexual selection, 1382
opportunity for selection, natural selection, selection analysis, sexual selection, survival, turtles, 437
plant mating systems, pollen competition, sexual selection, wild radish, 1842

**Sex**
apomixis, evolution of sex, parthenogenesis, phylogeny, polyploidy, root weevil, 734
AIDS, HIV, mathematical models, sexual activity, virulence, 916
*Chlamydomonas reinhardtii,* fitness, genetic variance in fitness, mutation-selection equilibrium, outcrossing, recombination, sex, 1705
clonal diversity, frozen niche variation hypothesis, general-purpose genotype hypothesis, parthenogenesis, *Potamopyrgus antipodarum,* sexual reproduction, 1541
chaos, evolution of sex, population dynamics, quantitative genetics, 532
fishes, hermaphrodite, local mate competition, Serranidea, sex allocation, size-assortative mating, 636
mate choice, parental care, parental investment, sex role reversal, sexual selection, 1382
mealybug, paternal genome loss, sex determination, sex ratio, 2100
*Bacillus,* clonals, genome addition, parental species recreation, polyploidy, unisexual diversification, 1251

**Speciation**
allorecognition, *Hydractinia symbiolongicarpus,* transmission genetics, 2221
allozyme variation, isolation-by-distance, colonization, extinction, morphometrics, *Rana pretiosa,* range shift, spotted frog, 374
allozymes, *Coregonus,* evolutionary history, mtDNA, 624
allozymes, habitat selection, host races, parasitism, population structure, symbiosis, sympatric differentiation, *Synalpheus,* 360
anadromy, assortative mating, divergent selection, isolating mechanisms, kokanee, *Oncorhynchus nerka,* sockeye, sympatric populations, 1265
Antarctic, brooding, echinoderm, echinoid, evolution, extinction, larval dispersal, 820
Bering Strait, biogeography, character evolution, climate, cytochrome *b,* invasion, mtDNA, phylogeography, rate of molecular evolution, vicariance, 2287
biogeography, crickets, Hawaii, *Laupala,* mtDNA, phylogeny, radiation, 237
bottlenecks, *Drosophila mercatorum,* founder-flush, genetic transilience, 909
cladogenesis, extinction, maximum likelihood, neighbor joining, parsimony, phylogenetic tree, tree balance, tree shape, tree symmetry, UPGMA, 1418
community structure, comparative method, ecological invasions, habitat selection, molecular phylogeny, regional diversity, 2461
comparative method, computer simulation, phylogeny, statistics, systematics, 12
constraints, mass extinctions, phylogenetic effects, sorting, trends, Wright's Rule, 990
crickets, environmental variability, genetic correlations, genotype-environment interaction, *Gryllus pennsylvanicus,* life-history characters, phenotypic correlations, pleiotropy, 267
crickets, genetics of species differences, Hawaii, hybridization, *Laupala,* song evolution, 256
*Drosophila pseudoobscura,* evolution of isolation, founder principle, genetic drift, 941
electrophoretic variation, founder principle, genetic divergence, *Nereis acuminata,* polychaetes, speciation, 457
*Eurosta solidaginis,* host shifts, intraspecific phylogeography, mtDNA, plant-insect interactions, *Solidago,* 777
*Gasterosteus,* hybrid fitness, mating discrimination, reproductive isolation, sexual selection, 2429
grasshopper, hybrid zone, life history, *Melanoplus,* reproductive isolation, 704
hybrid inviability, hybrid sterility, population subdivision, reproductive isolation, 1742
hybridization, imprinting, inbreeding avoidance, mate choice, species recognition, 2471

**Symbiosis**
bacteria, *Bradyrhizobium,* coevolution, electrophoresis, geographic variation, legumes, mutualism, plant-microbe interaction, 1470
bacteria, *Bradyrhizobium,* coevolution, legumes, linkage disequilibrium, mutualism, nitrogen fixation, polymorphism, 146

**Systematics**
Andes, area of endemism, Aves, Choco, historical biogeography, Pleistocene refugia, protein electrophoresis, systematics, vicariance, 1607
comparative method, evolution, phylogenetic analysis, population genetics, quantitative genetics, systematics, 1404

**Variation**
advertisement calls, allozyme variation, genetic variation, geographical variation, *Physalaemus pustulosus,* sexual selection, túngara frog, 2435
allozymes, effective population number, genetic drift, mtDNA, temporal variation, 454
chloroplast DNA, intraspecific variation, *Liriodendron tulipifera,* Pleistocene refugia, 1147
electrophoretic variation, founder principle, genetic divergence, *Nereis acuminata,* polychaetes, speciation, 457